

## **Atrium Health Infusion** Center

Referral Status:	☐ New Start ☐ Order Change ☐ Renewal
Preferred Location:	Atrium Health Infusion Center Concord Fax: 704-468-3401
	Atrium Health Infusion Center Pineville Fax: 704-468-3401
	Atrium Health Infusion Center Southpark Fax: 704-468-3401
	Atrium Health Infusion Center Huntersville Fax: 704-468-3401
	☐ Atrium Health Infusion Center Kenilworth, a facility of CMC Fax: 704-512-5390
	Atrium Health Infusion Center Abbey Place, a facility of CMC Fax: 704-512-5390
	Atrium Health Infusion Center Cabarrus, a facility of CMC Fax: 704-512-5390

Magnesium Sulfate Infusion Order (Revised 11/11/2025)

All orders with a √ will be placed.			
Patient Demographics:			
Patient Name: Date of Birth:	MRN:		
Address:			
City: State:	Zip Code:		
Allergies: (please list all allergies or attach list)			
□ NKDA			
Diagnosis:			
□ ICD-10:			
Required Documentation: (required prior to scheduling)			
Patient Demographic Sheet	If the patient is new to the ordered therapy, indicate washout from previous therapy:		
Copy of Insurance Card (front and back)			
Most Recent Labs (must include labs pertinent to medication ordered )	□ No Washout Needed		
Consult Note or last 2 Office Visits with referring provider or APP	If the patient is currently on the therapy, indicate date of last infusion: Next infusion due date:		
Complete Medication List -			
Include all tried and failed meds	If this is an order change only, indicate if the current therapy should be administered until insurance approval is received for the new request.		
Diagnostic Studies Pertinent to Medication Ordered	☐ Yes ☐ No		
Treatment Parameters:			
Magnesium level within the last 30 days (fax labs with order)			
Nursing Communication:			
Start PIV/Access CVC and flush device per approved Atrium Health protocol.			
Obtain vital signs PRE-treatment and POST-treatment. Obtain vital signs PRN during treatment.			
Monitor patient for signs of reaction for 30mins AFTER completion of 1st infusion and subsequent infusions PRN IF previous signs of reaction observed.			
Infusion Therapy:			
☐ Magnesium Sulfate IV			
1gm IV ONCE over 30 minutes			
2gm IV ONCE over 1 hour			
4gm IV ONCE over 2 hours			
Supportive Care Medications:			
Acetaminophen (Tylenol) 650mg PO ONCE PRN mild pain (1-3) or moderate pain (4-6). Give first if not given as a pre-medication.			
☑ Ibuprofen (Motrin) 800mg PO ONCE PRN mild pain (1-3) or moderate pain (4-6). Give second after acetaminophen.			
Ondansetron (Zofran) 4mg IV ONCE PRN nausea/vomiting.			
Hypersensitivity Protocol:			
	of an acute adverse or anaphylactic infusion/injection reaction. The hypersensitivity		
protocol can be found on the Atrium Health Infusion Center website a	t atriumhealth.org/infusion.		
Prescriber Information:			
Provider Name:	Phone: Fax:		
Practice Name:	NPI:		
Address:	Office Contact:		
City, State, Zip:	Office Contact Phone Number:		
Physician Signature: (Order expires 12 months from date of signature ) No Stamp Signatures Accepted			
Signature:	Date:		