

## Atrium Health Infusion Center

| Referral Status:    | ☐ New Start ☐ Order Change ☐ Renewal   |
|---------------------|--|
| Preferred Location: | Atrium Health Infusion Center Concord Fax: 704-468-3401                        |
|                     | Atrium Health Infusion Center Pineville Fax: 704-468-3401                      |
|                     | Atrium Health Infusion Center Southpark Fax: 704-468-3401                      |
|                     | Atrium Health Infusion Center Huntersville Fax: 704-468-3401                   |
|                     | Atrium Health Infusion Center Kenilworth, a facility of CMC Fax: 704-512-5390  |
|                     | Atrium Health Infusion Center Abbey Place, a facility of CMC Fax: 704-512-5390 |
|                     | Atrium Health Infusion Center Cabarrus, a facility of CMC Fax: 704-512-5390    |

Simponi Aria® (golimumab) Infusion Order (Revised 11/5/2025)

| All orders with a √ will be placed.  |   |  |  |
|--|---|--|--|
| Patient Demographics:  |   |  |  |
| Patient Name: Date of Birth:   | MRN:  |  |  |
| Address:   |   |  |  |
| City: State:   | Zip Code:   |  |  |
| Allergies: (please list all allergies or attach list)  |   |  |  |
| □ NKDA   |   |  |  |
| Diagnosis: (Complete the 2nd and/or 3rd Digits of the ICD-10)  |   |  |  |
| M05 Rheumatoid Arthritis with Rheumatoid Factor  | L40.5 Psoriatic Arthropathy   |  |  |
| M06 Rheumatoid Arthritis without Rheumatoid Factor   | M45 Ankylosing Spondylitis  |  |  |
| Other:   |   |  |  |
| Required Documentation: (required prior to scheduling )  |   |  |  |
| Patient Demographic Sheet  | If the patient is new to the ordered therapy, indicate washout from previous therapy:   |  |  |
| Copy of Insurance Card (front and back)  |   |  |  |
| Most Recent Labs (must include labs pertinent to medication ordered  | No Washout Needed   |  |  |
| Consult Note or last 2 Office Visits with referring provider or APP  | If the patient is currently on the therapy, indicate date of last infusion:   |  |  |
| Complete Medication List -   | Next infusion due date:   |  |  |
| Include all tried and failed meds  |   |  |  |
|  | If this is an order change only, indicate if the current therapy should be administered until insurance approval is received for the new request. |  |  |
| Diagnostic Studies Pertinent to Medication Ordered   | Yes No  |  |  |
|  | Tes INO   |  |  |
| Treatment Parameters   |   |  |  |
| Hold treatment and notify provider IF:   |   |  |  |
| - Temperature is GREATER THAN 100oF;   |   |  |  |
| - Patient complains of symptoms of acute viral or bacterial infection;   |   |  |  |
| - Patient is taking an antibiotic for current infection.   |   |  |  |
| Required lab results: Hep B Profile and PPD/Quantiferon Gold PRIOR to first treatment. (fax labs with order)   |   |  |  |
| - Hold Tx and Notify Provider IE   |   |  |  |
| - Hep B Profile: POSITIVE result or not on file;   |   |  |  |
| - PPD/Quantiferon Gold: POSITIVE result or not on file.  |   |  |  |
| Nursing Communication:   |   |  |  |
| Start PIV/Access CVC and flush device per approved Atrium Health protocol.   |   |  |  |
| Obtain vital signs PRE-treatment and POST-treatment. Obtain vital signs PRN during treatment.  |   |  |  |
| Monitor patient for signs of reaction for 30mins AFTER completion of 1st infusion and subsequent infusions PRN IF previous signs of reaction observed.                       |   |  |  |
| Pre-Medications:   |   |  |  |
| Acetaminophen (Tylenol) 650mg PO ONCE  |   |  |  |
| Diphenhydramine (Benadryl) 25mg PO ONCE  |   |  |  |
| Diphenhydramine (Benadryl) 25mg IV ONCE  |   |  |  |
| Loratadine (Claritin) 10mg PO ONCE   |   |  |  |
| Methylprednisolone Sodium Succinate (Solu-Medrol) 125mg IV ONCE  |   |  |  |
| Infusion Therapy:  |   |  |  |
| Golimumab (Simponi Aria) 2mg/kg IV over 30 minutes Week 0 and Week 4   |   |  |  |
| Golimumab (Simponi Aria) 2mg/kg IV over 30 minutes every 8 weeks   |   |  |  |
| Supportive Care Medications:   |   |  |  |
| ✓ Acetaminophen (Tylenol) 650mg PO ONCE PRN mild pain (1-3) or moderate pain (4-6). Give first if not given as a pre-medication.   |   |  |  |
| ✓ Ibuprofen (Motrin) 800mg PO ONCE PRN mild pain (1-3) or moderate pain (4-6). Give second after acetaminophen.  |   |  |  |
| Ondansetron (Zofran) 4mg IV ONCE PRN nausea/vomiting.  |   |  |  |
| Hypersensitivity Protocol:   |   |  |  |
| Initiate Atrium Health approved hypersensitivity protocol in the event of an acute adverse or anaphylactic infusion/injection reaction. The hypersensitivity protocol can be |   |  |  |
| found on the Atrium Health Infusion Center website at atriumhealth.org/infusion.   |   |  |  |
| Prescriber Information:  |   |  |  |
| Provider Name:   | Phone: Fax:   |  |  |
| Practice Name:   | NPI:  |  |  |
| Address:   | Office Contact:   |  |  |
| City, State, Zip:  | Office Contact Phone Number:  |  |  |
| Physician Signature: (Order expires 12 months from date of signature ) No Stamp Signatures Accepted  |   |  |  |
| Signature: Date:   |   |  |  |
|  |   |  |  |