Vyepti Infusion Order

Instructions to Provider: All orders with \boxtimes will be placed unless otherwise noted. Please fax completed order, along with referral form to
Required Lab Results: N/A
Infusion Therapy:
□ Vyepti (eptinezumab-jjmr)mg IV over 30mins
Frequency: every 3 months
ICD 10 Code:
Pre-Meds: Administer 30 minutes prior to Vyepti
☐ Acetaminophenmg PO x 1
☐ Benadryl mg PO ormg IV x 1 (if applicable, only choose ONE)
☐ Loratadine 10mg PO x 1
☐ SoluMedrol mg IV x 1
PRN Meds:
⊠Zofran 4mg IV every 3 hours PRN nausea/vomiting
⊠Ibuprofen 800mg PO every 8 hours PRN pain
Additional Orders:
Special Instructions:
 Infuse using a 0.2 micron or 0.22 micron in-line or add-on sterile filter.
Follow Atrium Health Infusion Center protocol for hypersensitivity PRN.
Infusion Monitoring:
 Obtain pre- and post-infusion vital signs. Obtain vitals PRN during infusion. Monitor for signs of reaction for 30 mins after completion of 1st infusion and subsequent infusions PRN if previous signs of reaction observed
Physician Name: Patient Name:
Physician Signature: Date: (Order valid for 1 year) DOB:
MRN: