

2- Day Gatorade & Miralax Colonoscopy Prep

You will need to drink a laxative solution to clean your colon prior to your colonoscopy. It is very important that you drink the entire prep mixture so that your doctor will have a clear view of your entire colon during your colonoscopy. Please thoroughly read these instructions one week before beginning your prep. For prep questions, call 336-712-1212.

Purchase from the Pharmacy 2 days prior to colonoscopy:

- 2 Bottles of Miralax--238 gram bottle (over the counter)
- 8 Dulcolax (bisacodyl) 5mg oral tablets (over the counter)
- 128 oz.(4:32oz bottles) Gatorade or Low/ NO Sugar Sports Drink (example G2 or Powerade Zero)
- 4 Gas-X pills (Simethicone) (over the counter)

Three days before your Colonoscopy:

AVOID fruits, vegetables, nuts, seeds, beans, popcorn and high fiber foods

Two days before your colonoscopy:

- Begin a clear liquid diet two days before your procedure (see below). Do not consume any solid foods!
- At **3 PM** take **4 Dulcolax** tablets with a glass of water.
- Between 4 PM 6 PM, mix the entire bottle of Miralax with the 64 oz. of Gatorade until dissolved.
- You should drink 8 oz. of your prep every 30 minutes until finished.
- Take breaks if you become nauseated.
- You may continue your clear liquid diet throughout the evening and into the next day.

One day before your colonoscopy:

- Continue your clear liquid diet.
- At 3 PM take 4 Dulcolax tablets with a glass of water.
- Between 4 PM 6 PM, mix the entire bottle of Miralax with the 64 oz. of Gatorade until dissolved.
- You should drink 8 oz. of your prep every 30 minutes or until half of the solution is gone (approximately 4 cups).
- Continue clear liquid diet until midnight.

Day of your colonoscopy:

- 6 hours before your arrival time, take 2 Gas X pills and start drinking the 2nd half of the prep.
- For example, if your appointment is at 6am, you will start drinking the rest of your prep at 12:00am. If your appointment time is at 10:00am, you will start drinking the rest of your prep at 4:00am, etc.
- DRINK ALL OF THE PREP. You may take up to 2 hours to do this.
- Take the last **2 Gas-x** after finishing the prep.
- You may not drink anything 3 hours before your appointment time. (A sip or two of water with medications is ok.)
- You may brush your teeth.
- No hard candy, gum, chewing Tobacco, Smoking or Alcohol the day of procedure.
- No Street Drugs 48 hours before your procedure.
- Please see previous sheet ("colonoscopy preparation instructions") for important medication instructions.

Your Clear Liquid Diet May Consist of: Beverages

- Clear soft drinks (ginger ale, Sprite, 7-Up, etc.)
- Sports drinks (Gatorade, Powerade, etc.)
- Clear fruit juices apple, white grape, lemonade, white cranberry
- Water, tea, coffee (no milk or non-dairy creamer)

Soups

• Chicken or beef bouillon/broth, BUT ONLY PRIOR TO MIDNIGHT

Desserts

Jell-O gelatin, popsicles (no sherbet)