



Referral Status:	☐ New Start	☐ Order Change	☐ Renewal
Preferred Location:	☐ Atrium Health Wake Forest Baptist Infusion - Westchester Fax 336-802-2389		
Tremfya® (guselkumab) Infusion Order (Revised 08.25.2026)			
All orders with a ✓ will be placed.			

Patient Demographics:	
Patient Name:	Date of Birth: MRN:
Address:	
City:	State: Zip Code:
Allergies: (please list all allergies or attach list)	
☐ NKDA	
Diagnosis: (Complete the 2nd and/or 3rd Digits of the ICD-10)	
☐ K51.0 - Ulcerative (Chronic) pancolitis	☐ K51.5 - Left sided colitis
☐ K51.2 - Ulcerative (Chronic) proctitis	☐ K51.8 - Other ulcerative colitis or unspecified
☐ K51.3 - Ulcerative (Chronic) rectosigmoiditis	☐ K51.9 - Ulcerative colitis, unspecified
☐ K50.9 - Crohn's disease, unspecified	☐ Other:
Required Documentation: (required prior to scheduling)	
Patient Demographic Sheet	If the patient is new to the ordered therapy, indicate washout from previous therapy:
Copy of Insurance Card (front and back)	☐ No Washout Needed
Most Recent Labs (must include labs pertinent to medication ordered)	If the patient is currently on the therapy, indicate date of last infusion:
Consult Note or last 2 Office Visits with referring provider or APP	Next infusion due date:
Complete Medication List - Include all tried and failed meds	If this is an order change only, indicate if the current therapy should be administered until insurance approval is received for the new request.
Diagnostic Studies Pertinent to Medication Ordered	☐ Yes ☐ No
Treatment Parameters:	
Hold Treatment and Notify Provider IF:	
☒ - Temperature is GREATER THAN 100oF;	
☒ - Patient complains of symptoms of acute viral or bacterial infection;	
☒ - Patient is taking an antibiotic for current infection	
☒ Required Lab Results: PPD/Quantiferon Gold PRIOR to FIRST treatment (Fax labs with order)	
☒ Hold Tx and Notify Provider IF: PPD/Quantiferon Gold: POSITIVE result, or not on file	
Nursing Communication:	
☒ Start PIV/Access CVC and flush device per approved Atrium Health protocol.	
☒ Obtain vital signs PRE-treatment and POST-treatment and PRN during the infusion	
☒ Monitor patient for signs of reaction for 30mins after completion of 1st infusion and subsequent infusions PRN if previous signs of reaction observed.	
Pre-Medications: (Administer all pre-medications 30mins prior to treatment)	
☐ Acetaminophen (Tylenol) 650mg PO ONCE	
☐ Diphenhydramine (Benadryl) 25mg PO ONCE	
☐ Diphenhydramine (Benadryl) 25mg IV ONCE	
☐ Loratadine (Claritin) 10mg PO ONCE	
☐ Methylprednisolone sodium succinate (Solu-Medrol) 125mg IV ONCE	
☐ Hydrocortisone sodium succinate (Solu-Cortef) injection 100mg IV ONCE	
Infusion Therapy:	
☒ Guselkumab (Tremfya) 200mg IV over 1 hour Week 0, Week 4, and Week 8	
Supportive Care Medications:	
☒ Acetaminophen (Tylenol) 650mg PO ONCE PRN mild pain (1-3) or moderate pain (4-6). ONLY administer if not given as a pre-medication.	
☒ Sodium chloride (bolus) 0.9% bolus 500mL IV ONCE PRN dehydration.	
☒ Ondansetron (Zofran) 4mg IV ONCE PRN nausea/vomiting.	
Hypersensitivity Protocol:	
☒ Initiate Atrium Health Wake Forest Baptist approved hypersensitivity protocol in the event of an acute adverse or anaphylactic infusion/injection reaction. The hypersensitivity protocol can be found on the Atrium Health Wake Forest Baptist Infusion - Westchester website at www.wakehealth.edu/locations/clinics/i/i/infusion-westchester	
Prescriber Information:	
Provider Name:	Phone: Fax:
Practice Name:	NPI:
Address:	Office Contact:
City, State, Zip:	Office Contact Phone Number:
Physician Signature: (Order expires 12 months from date of signature) No Stamp Signatures Accepted	
Signature:	Date: